

Legal description of Mazelle V. Kirkpatrick's tract of land:
(from survey by Gary Cobb under supervision by Robt. Brunnemer,
April 13, 1972)

A part of the Northwest quarter of the Northwest quarter of
Section 4, Township 8 North, Range 1 East, Monroe County,
Indiana described as follows:


Beginning at the Southwest corner of said quarter-quarter,
thence N89°-51'-17"E over and along the South line of said
quarter-quarter for a distance of 1319.98 feet to the South-
east corner of said quarter-quarter, thence N01°-34'-32"W over
and along the East line of said quarter-quarter for a distance
903.11 feet, thence S73°-29'-17"W for a distance of 385.13 feet,
thence North for a distance of 288.00 feet to the centerline
of State Road #46, thence Southwesterly over and along said
centerline by the following courses and distances:
A81°-06'-10"W, 106.88 feet; S78°-27'-25"W, 780.72 feet; S83°-53'-24"W,
75.38 feet to the West line of said quarter-quarter for a distance
of 904.17 feet to the place of beginning. Containing 28.778
acres, more or less.

Subject to the right-of-way of State Road #46.


Exception: to the above described real estate, to wit:
(from survey by Gary Cobb under supervision by Robt. Brunnemer,
September 23, 1975)

A part of the Northwest quarter of the Northwest quarter of
Section 4, Township 8 North, Range 1 East, Monroe County,
Indiana, described as follows: Beginning at a point on the
West line of said quarter-quarter that is 65.17 feet N01°-13'-15"W
of the Southwest corner of said quarter-quarter, thence
N82°-20'-47"E for a distance of 43.70 feet, thence S76°-51'-33"E for
a distance of 70.83 feet, thence S60°-35'-33"E for a distance of
42.23 feet, thence N89°-34'-27"E for a distance of 41.84 feet,
thence N03°-55'-33"W for a distance of 181.67 feet, thence N13°-45'-48"E
for a distance of 491.28 feet, thence N66°-52"E for a distance
of 27.25 feet, thence N15°-35"W for a distance of 257.54 feet to
the centerline of State Road #46, thence S78°-27'-25"W over and
along said centerline for a distance of 198.17 feet, thence
S83°-53'-24"W continuing over and along said centerline for a
distance of 75.38 feet to a point on the West line of said
quarter-quarter, thence S01°-13'-15"E over and along said West
line for a distance of 839.00 feet to the point of beginning.
Containing 5.00 acres, more or less. Subject to the right-of-
way of State Road #46. Also, an easement for ingress and egress,
described as follows: 15 feet of even width lying on the East
side of the following described line: Beginning at a point on
the West line of said quarter-quarter that is 65.17 feet
N01°-13'-15"W of the Southwest corner of said quarter-quarter,
thence S01°-13'-15"E for a distance of 26.00 feet to the center-
line of Bender Road.

In consideration of the above exception, the aforementioned
and described tract of land, owned by Mazelle v. Kirkpatrick,
contains 23.778 acres, more or less.



SC 4



SURVEYOR NOTE:
The above plat and attached descriptions does not
represents a field survey.

Lee Utt, R.L. S. # S0089, Indiana
1604 South Henderson St.
Bloomington, Indiana 47401

May 29, 1999


4340
21.35
22.05

200
1000
1400
15000
45000
30000
34500.0

39.15
21.40
61.05
40
11
51
Sec 4

U.S.A.
Sur.

Mr. Williams (govt engineer) not showing land taken by govt. after 1974



10.5
127.30

43-35A
40-35A

4930
47.65
51.65
O. Dale Roberts - Salt Creek - Secs 4 & 9




REPORT OF SURVEYOR
State Form 19883 (R / 3-93)

Page

SURVEYOR'S PLAT

Note: The surveyor shall plat the forest area and put required data on this page.

SC
479



Acreage	Scale	County	Name of applicant
27.69	1"=400'	Monroe	Danny Toth

1/2

APPLICATION FOR CLASSIFICATION

State Form 19883 (R / 3-93)

Department of Natural Resources
Division of Forestry
402 West Washington St., Rm. 296
Indianapolis, Indiana 46204

APPLICATION FOR THE CLASSIFICATION OF LAND AS FOREST LAND
INDIANA CODE 6-1.1-6 CF 9206

I, Danny Toth do hereby make application to have classified as a FOREST LAND, subject to the provisions of an Act approved March 10, 1921, as amended, entitled "An Act to encourage timber production and to protect watersheds by classifying certain land as forest lands; and prescribing a method of appraising lands thus classified for purposes of taxation". Further, I have reviewed the forest management plan; it meets my objectives, and I will implement the plan.

Name of landowner (printed or typed)

Danny Toth

Signature of landowner

Danny Toth signed by Alex deGroot

Address of landowner (street and number, city, state and ZIP code)

705 Deer Trace Bloomington, IN

Telephone number

(912) 339-6800

NOTARY CERTIFICATE

STATE OF

INDIANA

COUNTY OF

MONROE

SS:

Before me the undersigned; a Notary Public for

Monroe

County, State of Indiana, personally

appeared

Alex deGroot

Name of person

and acknowledged the execution of this instrument this 23rd day of

February

19 98

Signature of applicant

Alex deGroot

Signature of Notary Public

Jan C. Sullivan

Printed or typed name of applicant

Alex deGroot

Printed or typed name of Notary Public

JAN C. SULLIVAN

Date subscribed and sworn to Notary Public

February 23, 1998

County of residence

Monroe

Date commission expires

March 23, 1999

LEGAL DESCRIPTION OF LAND TO BE CLASSIFIED (narrative)

DESCRIPTION:

The North half of the Northeast quarter of the Northwest quarter of Section 9, Township 8 North, Range 1 East, containing 20 acres, more or less.

ALSO, all that part of the Southeast quarter of the Southwest quarter of Section 4, Township 8 North, Range 1 East, lying South of the center of the public road, containing 12 acres, more or less; EXCEPTING from the last above described 12 acre tract the following: A part of the Southeast quarter of the Southwest quarter of Section 4, Township 8 North, Range 1 East, bounded and described as follows to-wit: Commencing at a point on the West line of the Southeast quarter of the Southwest quarter of said Section 4 where said West line of said quarter quarter intersects the center line of a public highway running approximately East and West through said quarter quarter; thence running South along the West line of the said Southeast quarter of the Southwest quarter of said Township and Range aforesaid, a distance of 13 rods to a point, running thence East a distance of 13 rods to a point, running thence North to the center of the public highway, running thence West with the meanderings of the centerline of said public highway to the point of beginning, containing in said exception 1 acre, more or less. ALSO, excepting the following described real estate, to-wit: A part of the Southeast quarter of the Southwest quarter of Section 4, Township 8 North, Range 1 East, lying South of the center of the public road beginning at a point 13 rods East of the Northwest corner of the above described tract, thence running East 480 feet, thence South 132 feet, thence West 480 feet, thence North 132 feet to the place of beginning, containing 1 1/2 acres, more or less.

ALSO EXCEPTING a part of the Southeast quarter of the Southwest quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana, described as follows; beginning at a point 500 feet West of the intersection of a public road with the East line of said quarter quarter, said point being in the center of said public road, thence running South for 220 feet, thence West 450 feet, thence North 140 feet and to the South line of the 1 1/2 acre exception, thence on said South line East for 260 feet, and to the Southeast corner of said 1 1/2 acre exception, thence North 132 feet with the East line of said exception and to the center of said road, thence with said road East for 200 feet and to the point of beginning, containing in said exception 1.81 acres, more or less. Containing in Section 4 after the above described three exceptions 7.69 acres, more or less. Containing in all 27.69 acres, more or less.

See to audit file
10.20

Salt Creek Sec 4

Allis to Beavers

To Afanador

LEE UTT
REGISTERED LAND SURVEYOR NO. 50089, INDIANA
OFFICE PHONE 332-6366 HOME PHONE 825-5961
1604 SOUTH HENDERSON
BLOOMINGTON, INDIANA 47401

FILED

APR 4 1979

CERTIFICATE OF SURVEY

John W. Davis
Auditor Monroe County, Indiana

State of Indiana
County of Monroe SS:

I, Lee Utt, duly licensed Land Surveyor No. S0089, do hereby certify that the attached plat represents a survey of the lands and related improvements described as follows, to-wit:

A part of the Southwest quarter of the Southwest quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana, bounded and described as follows:


Beginning at a stone marking the Southwest corner of said Section 4; thence from said point of beginning and with the West line of said quarter quarter and running North 00°-53'-26" East for 203.67 feet and to the centerline of a public road; thence leaving the West line of said Section 4 and with the centerline of said road and running North 73°-52'-02" East for 85.09 feet; thence North 77°-08'-32" East for 210.40 feet; thence North 58°-01'-32" East for 317.69 feet; thence North 80°-19'-02" East for 129.27 feet; thence leaving the centerline of said road and running South 00°-53'-26" West for 452.81 feet and to the South line of said Section 4; thence with the South line of said Section 4 and running South 89°-02'-43" West for 680 feet and to the point of beginning. Containing 5.00 acres, more or less.

Subject to all legal highways and rights of way of record.

I, further certify that:

1. All improvements on said tract are shown on the attached plat and lie within boundaries of said tract.
2. There are no encroachments upon the described tract by any improvements appurtenant to adjoining tracts.
3. Corners are marked by stake, iron pipe, or otherwise as shown on the attached plat.

In witness whereof I have hereunto attached my hand and seal at Bloomington, Indiana, this 7th day of March, 1979.



Lee Utt
Lee Utt, R. L. S. # S0089, Indiana
1604 South Henderson
Bloomington, Indiana 47401

Sec 4



FILED
APR 4 1979

John W. Davis
Auditor Monroe County, Indiana

Lee Utt
Lee Utt, R.L.S. # S0089, Indiana
1604 South Henderson
Bloomington, Ind. 47401
March 8, 1979


SCALE: 1"=100'
O=IRON PIPE
D=WOOD HUB

ARTHUR AFANADOR



STONE - NW CORNER OF
SW 1/4 OF NW 1/4 OF
SEC. 4 - T8N-R1E

Salt Creek Sec 4
Mary Frances Joyce



Huntsman Survey - December 16, 1974

Survey and plat by: *Raymond Graham*
RPE 8409 IND
Bloomington, Indiana

Description - Huntsman

A part of the Southwest quarter of the Northwest quarter of Section 4, Township 8 North, Range 1 East, described as follows: beginning at a stone marking the Northwest corner of the said quarter quarter; thence South 280.00 feet along the West line of the said quarter quarter to the center of a branch; thence South 53 degrees 25 minutes East along the center of the branch for 380.00 feet to the mouth of a ravine; thence North 04 degrees 19 minutes East for 475.80 feet to the South side of McCammon Road; thence running along the South side of McCammon Road North 56 degrees 48 minutes West for 20.00 feet; thence South 89 degrees 32 minutes West for 223.80 feet; thence North 72 degrees 47 minutes West for 83.11 feet; thence North 88 degrees 49 minutes West for 59.21 feet to the point of beginning. Containing 2.96 acres more or less.

Description - Slater

A part of the Southwest quarter of the Northwest quarter of Section 4, Township 8 North, Range 1 East, in Monroe County, Indiana, further described as follows: beginning at a point 379.11 feet East of the Northwest corner of the said quarter quarter and on the South side of McCammon Road; thence South 04 degrees 19 minutes West for 475.80 feet along the center of a ravine and to the centerline of a branch; thence along the centerline of the branch South 53 degrees 25 minutes East for 198.00 feet to the centerline of a ravine; thence along the centerline of the ravine North 10 degrees 28 minutes East for 415.00 feet to the South side of McCammon Road; thence along the South side of McCammon Road North 42 degrees 24 minutes West for 196.71 feet; thence North 56 degrees 48 minutes West for 75.65 feet along the South side of McCammon Road to the point of beginning. Containing 2.06 acres more or less.

FILED

DEC 21 1978

John W. Davis
Auditor Monroe County, Indiana

STATE OF INDIANA))
COUNTY OF MONROE)) SS:

Stephen L. Smith, being first duly sworn upon his oath,
deposes and says:

2. That he prepared a survey of the real estate under date of December 13, 1985, described on Exhibit A attached hereto and made a part hereof.

3. That the historical description of the above-described real estate is described on Exhibit B attached hereto and made a part hereof.


Stephen L. Smith


_____, 1985.


 Notary Public

Residing in Monroe County,
State of Indiana

 $\frac{1}{4}$

BRAND #809



BRAND DESCRIPTION:

A part of the Northeast Quarter of the Northwest Quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana. More particularly described as follows:

Commencing at a stone marking the Northwest corner of said Quarter Quarter; thence South 0 Degrees 00 Minutes 00 Seconds East (Assumed bearings) along the West line of said Quarter Quarter 247.37 feet to the centerline of State Road 46; thence South 86 Degrees 03 Minutes 51 Seconds East along said centerline 165.00 feet to the point of beginning: Thence continuing along said centerline South 82 Degrees 13 Minutes 15 Seconds East 125.48 feet; thence continuing along said centerline South 77 Degrees 28 Minutes 21 Seconds East 259.52 feet; thence South 13 Degrees 01 Minutes 39 Seconds West 92.00 feet to the center of a rocky branch; thence North 86 Degrees 49 Minutes 16 Seconds West along said branch 215.28 feet; thence South 72 Degrees 43 Minutes 56 Seconds West along said branch 177.72 feet; thence North 07 Degrees 44 Minutes 58 Seconds East 205.60 feet to the point of beginning containing in all 1.17 acres more or less.

This certification does not take into consideration additional facts that an accurate and correct title search and/or examination might disclose.

Evidence of easements have not been located in the field and are not shown on this survey drawing.


Subject to the above reservation, I hereby certify that the survey work performed on the project shown hereon was performed either by me, or under my direct supervision and control and that all information shown is true and correct to the best of my knowledge and belief.

Certified this 13th day of December 1985.

Stephen L. Smith

Registered Land Surveyor No. S0427

State of Indiana




SURVEYOR LOCATION REPORT

THIS REPORT IS BASED ON LIMITED ACCURACY DATA AND THEREFORE NO DATA HEREIN SHOULD BE USED FOR CONSTRUCTION OR ESTABLISHING BOUNDARY OR FENCE LINES.

PROPERTY ADDRESS: 7440 E. Hwy. 46

PROPERTY DESCRIPTION: See Sheet #2 For Description



DESIGNATED PARTIES

MORTGAGEE Fid. Fed. Savings & Loan Assoc.
OR ASSIGNEES:
TITLE CO.: Monroe Co. Land Title Co., Inc.
OTHER:

REFERENCE NO.

REFERENCE NO.


I, the undersigned, an Indiana Registered Land Surveyor, hereby certify that on the date shown, I supervised the inspection of the real estate described herein at the Address indicated. THIS LOCATION REPORT WAS PREPARED FOR USE BY THE DESIGNATED PARTIES ONLY AND FOR NO ONE ELSE. THE ACCURACY OF THE LOCATION DATA SHOWN IS LIMITED TO THAT REQUIRED BY THE INDIANA "SURVEYOR LOCATION REPORT" MINIMUM REQUIREMENTS UNLESS OTHERWISE SPECIFIED AND EXPLAINED ON THIS DOCUMENT. IF A MORE ACCURATE OR DETAILED LAND SURVEY IS DESIRED OR IF CORNER MONUMENTS ARE REQUIRED, AN INDIANA LAND TITLE SURVEY SHOULD BE ORDERED.

I further certify that to the best of my knowledge this Location Report conforms with the SURVEYOR LOCATION REPORT Minimum Requirements, as adopted by the Indiana Society of Professional Land Surveyors, Inc., on January 29, 1981, and approved by the Title Underwriters of Indiana, Inc., on March 20, 1981.

CERTIFICATION DATE 11/21/85

SURVEYORS SIGNATURE *Ben E. Bledsoe*

SURVEYORS JOB NO. 809 Brand




SEAL

PROPERTY DESCRIPTION:

A part of the Northeast quarter of the Northwest quarter of Section 4, Township 8 North, Range 1 East, and described as follows: Beginning at the point where the center line of State Road 46 crosses the West line of said Northeast quarter, of the Northwest quarter; running thence Southeasterly along the center line of said State Road 46, 165 feet to the place of beginning; thence Southeasterly along the center line of said State Road 46, 385 feet; thence South 78 feet, more or less, to the center of a rocky branch; thence in a Westerly direction 393 feet along said rocky branch to the lands now owned by William S. Day and wife; thence North 202 feet to the place of beginning, containing 1 acre, more or less, and more particularly described as follows, to wit: A part of the Northeast quarter of the Northwest quarter of Section 4, Township 8 North, Range 1 East, and described as follows: Beginning at a point in the center of State Road 46, where said center line of State Road 46 crosses the West line of said quarter quarter, said point being 300 feet, more or less, South of the Northwest corner of said quarter quarter; thence running South 75 degrees East over and along the center line of said State Road 46, for a distance of 165 feet, and to the real point of beginning; thence running South 75 degrees East over and along the center line of State Road 46, for a distance of 385 feet; thence running South 15 degrees 30 minutes West for a distance of 78 feet, more or less, and to the center of a rocky branch; thence running South 88 degrees West over and along the center of said rocky branch for a distance of 393 feet, thence running North 17 degrees West for a distance of 202 feet, and to the place of beginning, containing 1.25 acres, more or less.

NOTE: Description does not close by bearings and distances.

There appears to be some question of the ownership of the driveways on the East and West.





Description:

A part of the East half of the Northwest quarter and a part of the West half of the Northeast quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana described as follows: beginning at a point 512.05 feet South of the Northwest corner of the Northeast quarter of the Northwest quarter of Section 4 and in the centerline of a rocky ranch; thence North 80 degrees 20 minutes 39 seconds East along branch centerline for 563.06 feet; thence North 33 degrees 36 minutes 23 seconds East for 87.71 feet and to the centerline of State Road # 46; thence South 85 degrees 19 minutes 58 seconds East along road centerline for 41.50 feet; thence South 13 degrees 25 minutes 23 seconds East for 50.00 feet; and to the U.S. Government fee taking line; thence along said fee line the following directions and dimensions, South 16 degrees 03 minutes 33 seconds East for 109.00 feet, South 60 degrees 09 minutes 33 seconds East for 346.60 feet, South 57 degrees 36 minutes 33 seconds East for 145.30 feet, South 32 degrees 10 minutes 33 seconds East for 430.60 feet, South 27 degrees 08 minutes 33 seconds East for 117.00 feet, South 32 degrees 01 minutes 33 seconds East for 162.00 feet, South 19 degrees 57 minutes 33 seconds East for 73.40 feet, South 16 degrees 20 minutes 27 seconds West for 84.50 feet, South 57 degrees 32 minutes 27 seconds West for 231.20 feet, South 84 degrees 46 minutes 27 seconds West for 371.10 feet,

thence leaving the fee taking line and running South 86 degrees 46 minutes 27 seconds West for 320.77 feet; thence North 37 degrees 32 minutes 19 seconds West for 260.70 feet; thence North 56 degrees 32 minutes 19 seconds West for 188.76 feet; thence North 85 degrees 02 minutes West for 209.22 feet and to the West line of the East half of the Northwest quarter of said Section 4; thence North 01 degree 58 minutes 03 seconds West along said West line for 843.96 feet and to the point of beginning. Containing in all 29.76 acres more or less. Subject to the State Highway right-of-way of 50.00 feet along State Road # 46.

Raymond Graham
Raymond Graham
R.P.E. 8409 Indiana
3215 N. Smith Pike
Bloomington, Ind.
Mar. 28, 1978






Description:

A pert of the Northeast quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana described as follows: beginning at a point in the centerline of State Road # 46 that is 583.93 feet South and 29 22.07 feet East of the Northwest corner of Section 4; thence along the State Road centerline the following directions and dimensions, South 75 degrees 30 minutes 27 seconds East for 344.71 feet; South 67 degrees 57 minutes 55 seconds East for 341.18 feet; South 54 degrees 53 minutes 12 seconds East for 95.25 feet; South 46 degrees 53 minutes 40 seconds East for 300.54 feet; South 40 degrees 52 minutes East for 397.81 feet; South 31 degrees 56 minutes 27 seconds East for 232.04 feet; thence leaving the road centerline and running South 86 degrees 57 minutes 41 seconds West for 559.37 feet; thence North 45 degrees 16 minutes 50 seconds West for 1025.16 feet; thence North 08 degrees 58 minutes 33 seconds West for 284.14 feet and to the point of beginning. Containing in all 13.65 acres more or less. Subject to the State Highway right-of-way of 50.00 feet along State Road # 46.

Raymond Graham
Raymond Graham
R.P.E. 8409 Indiana
3215 N. Smith Pike
Bloomington, Ind,
Mar. 27, 1978





DARRIAU

STATE OF INDIANA SS:
COUNTY OF MONROE

I, Lee Utt, hereby certify that I am a Land Surveyor licensed in compliance with the laws of the State of Indiana; that the above plat and the following description correctly represents a survey completed by me on December 21, 1977; that all monuments shown thereon actually exist; and that their location and type are, to the best of my knowledge accurately shown.

Legal description:


Darriau

A part of the Southwest quarter of the Southeast quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana, bounded and described as follows: Beginning at a point on the South line of said quarter quarter, said point of beginning being 155.53 feet West of the Southeast corner of said Southwest quarter of the Southeast quarter; thence from said point of beginning and with the South line of said quarter quarter section and running South 89°-02'-43" West for 459.10 feet and to the center of an old road bed; thence with said old road bed and running North 66°-56'-25" West for 238.40 feet; thence North 68°-16'-55" West for 235.51 feet; thence leaving said old road bed and parallel with the West line of said quarter quarter section and running North 00°-16'-06" East for 316.42 feet; thence North 82°-58'-46" East for 116.29 feet; thence South 83°-34'-19" East for 245.32 feet; thence North 86°-08'-43" East for 151.41 feet; thence South 81°-34'-02" East for 167.50 feet; thence North 85°-19'-10" East for 323.60 feet and to the U.S. Government Fee Taking Line; thence with said fee taking line and running South 13°-42' West for 90.65 feet; thence North 49°-27' East for 20.00 feet and to the center of the above referred to old road bed; thence leaving said fee taking line and with said old road bed and running South 03°-52'-55" East for 167.34 feet; thence South 16°-22'-40" West for 127.62 feet; thence South 31°-07'-40" West for 113.35 feet; thence South 26°-30' West for 29.69 feet and to the point of beginning. Containing 10.00 acres, more or less.

FILED


JAN 17 1978

John W. Davis
Auditor Monroe County, Indiana




Lee Utt
Lee Utt, R.L.S. #S0089

Salt Creek Sec 4 Sec 4 Reeves to Corner



State of Indiana
County of Monroe SS:

I, Lee Utt, hereby certify that I am a Land Surveyor licensed in compliance with the laws of the State of Indiana; that the above plat and the following description correctly represents a survey completed by me on June 13, 1977; that all monuments shown thereon actually exist; and that their location and type are, to the best of my knowledge, accurately shown.



Lee Utt
Lee Utt, R. L. S. # S0089, Indiana

Legal description:

A part of the Southeast quarter of the Southwest quarter of Section 4, Township 8 North, Range 1 East, Monroe County, Indiana, bounded and described as follows:

Beginning at a point that is 215.79 feet North and 215.52 feet East of the Southwest corner of said Southeast quarter of the Southwest quarter; thence from said point of beginning and parallel with the West line of said quarter quarter and running North 00°-16'-06" East for 137.02 feet and to the centerline of a public road; thence with the centerline of said road and running South 74°-10'-43" East for 110.50 feet; thence South 64°-47'-13" East for 232.55 feet; thence South 89°-39'-09" East for 136.87 feet; thence leaving the centerline of said road and running South 00°-16'-06" West for 132.08 feet; thence North 74°-35'-13" West for 470.51 feet and to the point of beginning. Containing 1.044 acres, more or less.

Surveyors Note:

The above plat of survey and legal description represents the tract of land that is described in a deed from Ollan C. and Pina G. May to William M. and Conita L. Reeves, dated May 20, 1977.

FILED
DEC 5 1980

John H. Lawrence
Auditor Monroe County, Indiana

Sec 4

Salt Creek Sec 4

C. H. Moore, James to Town Transfer
N 1/4, NE 1/4
1720.00'

SALT Creek Sec 4

N89°02'31"E
1323.30'

70.37
ACRES

NE 1/4, SW 1/4

1907.72'
S89°52'18"W

N82°37'45"E
644.92'

POINT OF BEGINNING

CENTER
SECTION 4
T21, R12

PT
SW 1/4, NE 1/4

S42°43'E
201.96'

S24°52'E
334.10'

SCALE
1"=200'

S35°57'E
395.90'


S31°48'E
227.00'

S31°53'W
127.95'

S51°16'W
292.20'

S51°19'32"W
452.66'

SE 1/4




Raymond Graham

RAYMOND GRAHAM
R.P.E. 8409 L.S. 9978 IND
3215 N Smith Pike
Bloomington, Indiana
July 23, 1987

DESCRIPTION:

A part of the Southwest quarter of the Northeast quarter, a part of the Northwest quarter of the Southeast quarter and all of the Northeast quarter of the Southwest quarter, all being in Section 4, Township 8 North, Range 1 East, Monroe County, Indiana, bounded and described as follows: Beginning at the center of said Section 4; thence running North 82 degrees 39 minutes 45 seconds East for 644.92 feet and to a point on the Givernment Fee Line; thence with said Fee Line the following directions and dimensions: South 42 degrees 43 minutes East for 201.96 feet; South 24 degrees 52 minutes East for 334.10 feet; South 38 degrees 57 minutes East for 395.90 feet; South 31 degrees 48 minutes East for 207.00 feet; South 38 degrees 53 minutes West for 127.90 feet; South 59 degrees 16 minutes West for 292.20 feet; thence leaving the said Fee Line and running South 60 degrees 19 minutes 32 seconds West for 420.66 feet; thence South 89 degrees 02 minutes 18 seconds West for 1907.72 feet; thence North 00 degrees 16 minutes 06 seconds East 1320.00 feet; thence North 89 degrees 02 minutes 31 seconds East for 1323.30 feet and to the point of beginning. Containing in all 70.37 acres, more or less.




Raymond Graham

RAYMOND GRAHAM
R P E 8409 L S. 9978 IND
3215 N. Smith Pike
Bloomington, Indiana
July 23, 1987

Salt
BRAND 7340 E ST RD 46
OVERALL

TR NW corner
E 1/2 NW 1/4 Bice1 Brand
sect 4, T8N, R1E



Raymond Graham
RAYMOND GRAHAM
R.P.E. 8400 RLS 9978 IND
AUG. 26, 1991



DESCRIPTION:

EAST TRACT

A part of the Northwest quarter of the Northwest quarter and a part of the Northeast quarter of the Northwest quarter, both of Section Four (4), Township Eight (8) North, Range One (1) East, and described as follows: Beginning at a point which is 308 feet South of the Northwest corner of the East half of the Northwest quarter of said Section 4, thence South $79^{\circ} 55' 49''$ East 39.31 feet, thence South $77^{\circ} 48' 35''$ East 125.74 feet, thence South $02^{\circ} 29' 31''$ West 194.80 feet, thence South $88^{\circ} 04' 36''$ West 173.00 feet, thence North 120.00 feet, thence North $36^{\circ} 25' 11''$ West 167.83 feet, thence South $79^{\circ} 55' 49''$ East 136.27 feet and to the point of beginning. Containing 1.03 acres, more or less.

DESCRIPTION:

WEST TRACT

A part of the Northwest quarter of the Northwest quarter and a part of the Northeast quarter of the Northwest quarter, both of Section Four (4), Township Eight (8) North, Range One (1) East, and described as follows: Beginning at a point which is 308 feet South of the Northwest corner of the East half of the Northwest quarter of said Section 4, thence North $79^{\circ} 55' 49''$ West 136.27 feet and to the true point of beginning; thence South $36^{\circ} 25' 11''$ East 167.83 feet, thence South 120.00 feet, thence South $88^{\circ} 04' 36''$ West 373.47 feet, thence North 179.99 feet, thence South $87^{\circ} 50' 11''$ East 259.03 feet, thence South $79^{\circ} 55' 49''$ East 15.00 feet and to the true point of beginning. Containing 2.13 acres, more or less.


DESCRIPTION:

OVERALL (NEW DESCRIPTION)

A part of the Northwest quarter of the Northwest quarter and a part of the Northeast quarter of the Northwest quarter, both of Section Four (4), Township Eight (8) North, Range One (1) East, and described as follows: Beginning at a point which is 308 feet South of the Northwest corner of the East half of the Northwest quarter of said Section 4, thence South $79^{\circ} 55' 49''$ East 39.31 feet, thence South $77^{\circ} 48' 35''$ East 125.74 feet, thence South $02^{\circ} 29' 31''$ West 194.80 feet, thence South $88^{\circ} 04' 36''$ West 546.47 feet, thence North 279.99 feet, thence South $87^{\circ} 50' 11''$ East 259.03 feet, thence South $79^{\circ} 55' 49''$ East 136.27 feet and to the point of beginning. Containing 3.15 acres, more or less.

Raymond Graham
Raymond Graham

R.P.E. 8409 R.L.S. 9978 Indiana
3215 N. Smith Pike
Bloomington, Indiana
August 30, 1991



REVIEWED

By Cassidy Raley at 10:54 am, Jan 22, 2018

BENTON TWP.

Sec 33-9-1E

Laverdie to Solley

BLOOMINGTON ENGINEERING COMPANY

ENGINEERS and SURVEYORS
811 ANITA STREET
BLOOMINGTON, INDIANA 47401
Phone 332-2603

Delivered to 9-20-77
Lynn Coyne
re: Laverdie
Burger Office

2.00 ACRE TRACT DESCRIPTION

A part of the Southwest quarter of the Southwest quarter of Section 33, Township 9 North, Range 1 East, Monroe County, Indiana, described as follows: Beginning at a point that is 111.01 feet North and 627.26 feet East of the Southwest corner of said quarter-quarter, thence S73°04'-57"E for a distance of 271.93 feet, thence N06°15'-20"W for a distance of 397.83 feet, thence N80°10'-50"W for a distance of 145.13 feet, thence S85°59'-30"W for a distance of 74.06 feet, thence S00°00'-45"E for a distance of 335.90 feet to the place of beginning. Containing 2.00 acres, more or less.

Laverdie, Jerry
to

Solley, Thomas T.

Sec 33-9-1E 2A.



FILED
SEP 20 1977

John W. Davis
Auditor Monroe County, Indiana

33-9-1E

1/2

REVIEWED

By Cassidy Raley at 10:54 am, Jan 22, 2018


BENTON TWP.

SEC-33, T9N, R1E


Sec 33

BLOOMINGTON ENGINEERING COMPANY

ENGINEERS and SURVEYORS
811 ANITA STREET
BLOOMINGTON, INDIANA 47401
Phone 332-2603



SCALE : 1" = 100'



SURVEY PLAT
PART OF S.W. 1/4 OF S.W. 1/4 OF
SECTION 33 - T9N - R1E
MONROE COUNTY, INDIANA
AUGUST 18, 1977

Robert W. Brunner

REVIEWED



By Cassidy Raley at 10:54 am, Jan 22, 2018

-17-87
EXHIBIT 1
Rarey
BLOOMINGTON ENGINEERING COMPANY

ENGINEERS and SURVEYORS
811 ANITA STREET
BLOOMINGTON, INDIANA 47401
Phone 332-2603

Sec 4 - 8N-1E
Sec 33 - 9N-1E
BENTON TWP

SALT CREEK TWP



Robert W. Bussemaker

Benton Twp;
Section 33

Raley, Daniel R. +
Sandra L.

REVIEWED

By Cassidy Raley at 10:54 am, Jan 22, 2018


Laburdie & Salley
BLOOMINGTON ENGINEERING COMPANY

ENGINEERS and SURVEYORS
811 ANITA STREET
BLOOMINGTON, INDIANA 47401
Phone 332-2603

Benton Twp.
Sec 33



SEC-33, T 9N, R 1E



NOTE: THE ABOVE PLAT REPRESENTS A TRACT OF LAND
SURVEYED UNDER THE SUPERVISION OF THE UNDERSIGNED
ON AUGUST 18, 1969. THE LEGAL DESCRIPTION FOR
THIS TRACT HAS BEEN RECORDED IN DEED RECORD
256 AT PAGE 101 IN THE OFFICE OF THE RECORDER
OF MONROE COUNTY.

FILED

FEB 7 1978

John W. Davis
Auditor Monroe County, Indiana

2-7-78




Sec 33 - 9N - 1E

BENTON
TWP.

Laborer to Sally 2-9-78
Sec 33

BLOOMINGTON ENGINEERING COMPANY

ENGINEERS and SURVEYORS
811 ANITA STREET
BLOOMINGTON, INDIANA 47401
Phone 332-2603



SCALE : 1" = 100'

31.88'N ± 88.74'E
OF SW CORNER OF
SW 1/4 OF SW 1/4 OF
33-9N-1E

FILED
FEB 7 1978
SURVEY PLAT
PART OF SW 1/4 OF SW 1/4 OF
SECTION 33-9N-1E
MONROE COUNTY, INDIANA
JANUARY 19, 1978

John W. Davis
Auditor Monroe County, Indiana

REVIEWED

By Cassidy Raley at 10:54 am, Jan 22, 2018

Sec 33-92-1E

Laberdie to Salley

*2-7-78
Sec 33*

BLOOMINGTON ENGINEERING COMPANY

ENGINEERS and SURVEYORS

811 ANITA STREET

BLOOMINGTON, INDIANA 47401

Phone 332-2603

BENTON TWP




LABERDIE - 0.19A TRACT DESCRIPTION

A PART OF THE SOUTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 33, TOWNSHIP 9 NORTH, RANGE 1 EAST, MONROE COUNTY, INDIANA, DESCRIBED AS FOLLOWS: BEGINNING AT A POINT THAT IS 31.88 FEET NORTH AND 887.42 FEET EAST OF THE SOUTHWEST CORNER OF SAID QUARTER-QUARTER, THENCE NORTH FOR A DISTANCE OF 387.96 FEET, THENCE $N80^{\circ}-10'-50''$ FOR A DISTANCE OF 44.00 FEET, THENCE $S06^{\circ}-15'-20''$ FOR A DISTANCE OF 397.83 FEET TO THE PLACE OF BEGINNING. CONTAINING 0.19 ACRE, MORE OR LESS.

PLAT AND DESCRIPTION PREPARED FROM A
SURVEY CONDUCTED ON AUGUST 18, 1977
UNDER THE SUPERVISION OF:

Robert W. Brunemer

ROBERT W. BRUNEMER
REGISTERED LAND SURVEYOR
INDIANA REGISTRY #6812
JANUARY 19, 1978



FILED

FEB 7 1978

John W. Davis

Auditor Monroe County, Indiana

6/7